

SFNNXA Commercial Washer



10KG FRONT LOAD ELECTRONIC COIN OPERATED WASHER

Features and Benefits

- Low water consumption of only 44.3 litres per wash, with full wash completed in 30 minutes.
- Energy saving 'High Speed Extract' spin cycle of 1,200 rpm producing 'G' forces in excess of 440 for greater water removal, resulting in reduced drying times and associated energy savings.
- Soft mount machine requires no bolting down to secure.
- Available in Stainless Steel (SFNNXA-SS)
- Multiple payment options - Card, Token or Electronic coin mechanism will accept 20c, \$1, \$2 or a token while rejecting foreign currency, with the vend price adjustable in seconds with no hardware changes required.

SPECIFICATIONS

DIMENSIONS	
CAPACITY	10 kg
WIDTH	683 mm
DEPTH	796 mm
HEIGHT	1,126 mm
DRUM VOLUME	96.8 Litres
NET WEIGHT	122 kg
OPERATION	
CYCLES	9 cycles, 3 soil levels
CYCLE LIGHTS	Yes, digital display
CYCLE TIME	23 - 30 Min
CONTROLS	Quantum gold controller
ACTIVATION	Card, Token, Electronic coin drop
WATER TEMP	Hot, warm or cold
MOTOR	1.0 Hp, variable speed
SPIN SPEED	500 - 1,200 Rpm, variable speed
WATER USE	44.3 Litres / wash
CONSTRUCTION	
INNER BOWL	Stainless steel
OUTER BOWL	Stainless steel
OUTER CABINET	Steel



SFNNXA Commercial Washer

TECHNICAL SPECIFICATIONS

UTILITIES	
SINGLE PHASE 240 V 50 HZ	
10 AMP CIRCUIT-BREAKER REQUIRED	
1.8 M POWER LEAD	
HOT AND COLD WATER SUPPLY	
1.2 M HOT AND COLD WATER HOSES SUPPLIED	
WATER SUPPLY HOSE TAP ENDS 3/4 BSP THREADS	
MAX HOT WATER CONSUMPTION 18.9 L / CYCLE	
MAX WATER CONSUMPTION 44.3L / CYCLE	
MAX POWER DRAW MOTOR 670W / HOUR	
DRAIN: 600 - 914 MM UPSTAND, 50 MM DIAMETER	
WATER SUPPLY PRESSURE BETWEEN MAX 820 KPA/MIN 140 KPA	
SHIPPING DIMENSIONS	
WEIGHT	126 kg
HEIGHT	1,130 mm
WIDTH	864 mm
DEPTH	762 mm
CUBIC	0.74

EQUIPMENT DIMENSIONS

EQUIPMENT DIMENSIONS	
A	610 mm (24 in.)
B	1126 mm (44.34 in.)
C	813 mm (32 in.)
D	938 mm (36.94 in.)
E	371 mm (14.6 in.)
F	683 mm (26.875 in.)
G	52 mm (13.1 in.)
H	704 mm (27.73 in.)
I - WITH DOOR CLOSED	40 mm (1.59 in.)
J	333 mm (13.1 in.)

